

Quzhou Risheng Tech Business Management Co., Ltd

Address:

No.20 Xiezuo Road, Qinghu Street, Jiangshan City,
Quzhou City, Zhejiang Province

MirrMuse

MIRRMUSE PRODUCT
CATALOG

1

MirrMuse

MirrMuse

2

About Us

MirrMuse, established in 2019, is a brand of Quzhou Risheng Tech Business Management Co., Ltd., located in Quzhou, Zhejiang Province. Building on the holding company's 28 years of professional mirror manufacturing experience, MirrMuse integrates design, research & development, production, sales, and service to deliver high standards of craftsmanship.

We integrate MES and ERP within an intelligent factory featuring automated production lines, enabling end-to-end traceability across sales, procurement, and manufacturing. With a strong R&D and design team and excellent product quality, we hold multiple patents and maintain a rigorous certification system that meets national and international standards, supporting exports to Europe, the Americas, the Middle East, Southeast Asia, and other regions worldwide.

Company Profile

We believe everyone has their own world, and we hope each person can see a better one reflected through MirrMuse. With expertise across more than ten leading technologies, we have built intelligent, flexible production lines—validated through extensive R&D—that deliver up to 100,000 smart LED mirrors per month. We offer a complete supply chain from R&D to after-sales service to meet diverse customer needs with the best products.

As an ODM expert in smart LED mirrors, MirrMuse has always championed the idea of creating a better world in a mirror. We continuously explore and innovate while rigorously controlling product quality and providing excellent service. MirrMuse leads technological innovation in the industry, earning recognition among the "China Top Ten Mirror Industry" for three consecutive years and being honored as a "National Standard Enterprise" in the decorative mirror industry, while serving as a vice-chair of the Mirror Industry Association.



ENVIRONMENTALLY FRIENDLY COPPER-FREE MIRRORS



ELEVATING THE BEAUTY OF DETAIL



EXQUISITE CRAFTSMANSHIP



EXUDE YOUR CHARM


3





Three advantages ensure high quality, making us your best choice.

Rigorous standards deliver superior quality.



High-quality raw materials

We have a strong production capacity of 1 million mirrors and 100,000 Mirror cabinet sets per year, meeting the diversified needs of domestic and foreign markets.



4

1. Advantages of Semi-finished goods fabrication

28 years of experience in material selection, testing, manufacturing, inspection, and equipment management.

2. Advantages of metal fabrication

From material and structural design to fabrication and finishing, all processes are completed in-house as a one-stop solution.

3. Advantages of integrated electronic components


An integrated switch, driver, and relay module allows easy plug-and-play male/female connections.




By introducing advanced production equipment and technologies, we have built an intelligent and highly efficient manufacturing plant. This allows us to achieve precise control over the entire process from raw materials to finished products, ensuring that every mirror reaches the industry-leading level.



Kelvin Color Temperature Chart



Optional functions



03

- | | | | |
|---|------------------------------------|----|---|
| 1 | i-Touch
(concave touch switch) | 7 | Dual-touch switch
(Light + Defogger) |
| 2 | O-Touch
(standard touch switch) | 8 | Dual-touch switch
(Color Temperature + Defogger) |
| 3 | Light / Color Temperature | 9 | Dual-touch switch
(Light / Color Temperature + Dimmer) |
| 4 | Integrated Clock | 10 | Triple-touch switch
(Color Temperature + Defogger + Dimmer) |
| 5 | IR sensor switch | 11 | Triple-touch switch
(Bluetooth + Color Temperature + Defogger) |
| 6 | Radar sensor switch | | |

5

Frame finishes

Spray Painting

- | | | | | | |
|---------------------------|--------------------------------|------------------------------|----------------------------|--------------------------|-------------------------|
| S18
Rose Gold | S19
Pale Rose Gold | S20
Antique Bronze | S21
Brushed Blonde | S28
Dark Gold | S30
Pale Gold |
| S34
Brushed Pale Brass | S35
Brushed Pale Gunmetal | S36
Brushed Nickel | S37
Brushed Matte Black | S41
Brushed Rose Gold | S47
Champagne Silver |
| S48
Brushed Dark Brass | S50
Brushed Stainless Steel | S51
Brushed Pale Gold | S52
Brushed Dark Bronze | S53
Brushed Black | S63
Gunmetal |
| S70
Brushed Dark Gold | S71
Brushed Dark Gunmetal | S72
Brushed Antique Brass | S73
Brushed Pale Bronze | | |

Powder Coating


- | | | | |
|--------------------|--------------------|---------------------|--------------------|
| S02
Matte Black | S06
Matte White | S40
Frosted Grey | S43
Silver Grey |
|--------------------|--------------------|---------------------|--------------------|

Oxidation

- | | | | |
|-----------------------|----------------------|------------------------------|---------------------|
| S12
Aluminum Color | S55
Matte Black | S58
Bronze | S74
Brushed Grey |
| S82
Brushed Gold | S75
Brushed Brass | S81
Brushed Gunmetal Grey | |

Vacuum Plating

- | | |
|-----------------------------|--------------------------------|
| S108
Golden thread charm | S109
Ink Star Pattern Light |
|-----------------------------|--------------------------------|



Product Catalog



Model	Pages	Model	Pages	Model	Pages
3504	P001	3505	P003	3503	P004



Model	Pages	Model	Pages	Model	Pages
3509	P005	3508	P007	3506	P008




Model	Pages	Model	Pages	Model	Pages	Model	Pages	Model	Pages
3483	P009	3482	P011	3481	P012	3492	P013	3531	P014



Model	Pages	Model	Pages	Model	Pages	Model	Pages
3452	P015	3491	P017	3501	P019	3498	P021



Model	Pages	Model	Pages
3493	P023	3494	P025



Model	Pages	Model	Pages
3519	P027	3207	P029

6

Product Catalog



Model	Pages	Model	Pages
3544	P031	3524	P033



Model	Pages
3490	P039



Model	Pages
3540	P041



Model	Pages
3541	P043




Model	Pages
3559	P044




Model	Pages
3542	P037



Model	Pages
5035	P045



Model	Pages
5038	P047



Model	Pages
5037	P049



Model	Pages
5036	P050



Model	Pages
5034	P051




Model	Pages
5034	P053



Model	Pages
5032	P055



Model	Pages
3411	P057




Model	Pages
3410	P059



Model	Pages
G5005	P061



Model	Pages
2632	P062








Model	Pages
3362	P063








Model	Pages
3405	P064

Product Catalog



Product Catalog



7


LumaFlow series



8



- Key Features**
LED illumination
Acrylic ring
Touch switch





LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3504	31.69x31.69	1.89	36W	438	29	2700/6500K	2674	90+



LumaFlow series

Key Features
LED illumination
Acrylic ring
Touch switch





LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3505	21.65x39.37	1.89	36W	462	31	2700/6500K	2820	90+



LumaFlow series

Key Features
LED illumination
Acrylic ring
Touch switch



LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3503	23.62x31.5	1.89	36W	450	30	2700/6500K	2748	90+



9



10

HeraFrame series

- Key Features**
 LED illumination
 Aluminum frame
 Custom frame color finish
 Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3509	24x24	2.24	48W	597	33	6500K	2955	90+
3509	28x28	2.24	48W	700	39	6500K	3477	90+
3509	32x32	2.24	60W	795	44	6500K	3938	90+
3509	40x40	2.24	36W*2	995	55	6500K	4927	90+




HeraFrame

series

Key Features


- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch



11

ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3508	20x36	2.24	48W	747	40	6500K	3726	90+
3508	24x40	2.24	60W	850	45	6500K	4248	90+
3508	24x48	2.24	60W	990	53	6500K	4989	90+




HeraFrame

series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3506	20x28	2.24	48W	648	37	6500K	3290	90+
3506	24x32	2.24	60W	782	44	6500K	3976	90+
3506	32x28	2.24	60W	848	48	6500K	4316	90+
3506	40x28	2.24	36W*2	982	56	6500K	5002	90+






12



Opalite series

Key Features

- LED illumination
- Aluminum frame
- Acrylic decorative lamp
- Custom frame color finish
- Touch switch




ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3483	20x36	2.76	24W	776	18	2700/6500K	1589	90+
3483	24x40	2.76	24W	812	20	2700/6500K	1754	90+
3483	24x48	2.76	36W	860	22	2700/6500K	1974	90+



Opalite series

- Key Features**
 LED illumination
 Aluminum frame
 Acrylic decorative lamp
 Custom frame color finish
 Touch switch




ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3482	24x24	2.76	24W	430	13	2700/6500K	1125	90+
3482	28x28	2.76	24W	466	14	2700/6500K	1290	90+
3482	32x32	2.76	24W	502	16	2700/6500K	1455	90+
3482	40x40	2.76	24W	580	20	2700/6500K	1813	90+



Opalite series

- Key Features**
 LED illumination
 Aluminum frame
 Acrylic decorative lamp
 Custom frame color finish
 Touch switch



ALUMINUM FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3481	20x28	2.76	24W	460	14	2700/6500K	1263	90+
3481	24x32	2.76	24W	508	17	2700/6500K	1483	90+
3481	32x28	2.76	24W	532	18	2700/6500K	1593	90+
3481	40x28	2.76	24W	616	21	2700/6500K	1839	90+
3481	48x28	2.76	36W	670	23	2700/6500K	2087	90+
3481	56x28	2.76	36W	718	26	2700/6500K	2307	90+

13



Opalite series

- Key Features**
 LED illumination
 Aluminum frame
 Acrylic decorative lamp
 Custom frame color finish
 Touch switch



14




ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3492	20x28	2.76	24W	460	14	2700/6500K	1263	90+
3492	24x32	2.76	24W	508	17	2700/6500K	1483	90+
3492	32x28	2.76	24W	532	18	2700/6500K	1593	90+
3492	40x28	2.76	24W	580	20	2700/6500K	1813	90+
3492	48x28	2.76	36W	634	23	2700/6500K	2060	90+
3492	56x28	2.76	36W	682	25	2700/6500K	2280	90+



Opalite series

- Key Features**
 LED illumination
 Aluminum frame
 Acrylic decorative lamp
 Custom frame color finish
 Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3531	20x28	2.76	24W	432	14	2700/6500K	1242	90+
3531	24x32	2.76	24W	480	16	2700/6500K	1462	90+
3531	32x28	2.76	24W	504	17	2700/6500K	1572	90+
3531	40x28	2.76	24W	552	20	2700/6500K	1792	90+
3531	48x28	2.76	36W	670	23	2700/6500K	2087	90+
3531	56x28	2.76	36W	718	26	2700/6500K	2307	90+






Skypano series

Key Features

- LED illumination
- Stainless steel frame
- Acrylic decorative lamp
- Custom frame color finish
- Touch switch



15

STAINLESS STEEL FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3452	21.65x46.46	1.65	24W	738	18	2700/6500K	1538	90+



Skypano series

Key Features


- LED illumination
- Stainless steel frame
- Acrylic decorative lamp
- Custom frame color finish
- Touch switch



STAINLESS STEEL FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3491	23.62x31.5	1.65	24W	514	15	2700/6500K	1372	90+

16






17



ApexGaze series

- Key Features**
 LED illumination
 Aluminum frame
 Custom frame color finish
 Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count
3501	24x24	1.06	24W	402
3501	28x28	1.06	24W	469
3501	32x32	1.06	24W	536
3501	40x40	1.06	36W	670

LED wattage	Kelvin	Max. LED Lumen	CRI
13	6500K	1149	90+
16	6500K	1341	90+
18	6500K	1532	90+
22	6500K	1915	90+






ApexGaze series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3498	31.5x31.1	1.06	24W	518	17	6500K	1479	90+

18






19



FlowLux series

- Key Features**
 LED illumination
 Aluminum frame
 Custom frame color finish
 Touch switch



ALUMINUM FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3493	20x36	1.06	36W	264	26	6500K	2200	90+
3493	24x40	1.06	36W	300	30	6500K	2500	90+
3493	24x48	1.06	48W	348	35	6500K	2900	90+



FlowLux series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3494	20x28	1.06	36W	240	24	6500K	2000	90+
3494	24x32	1.06	36W	288	29	6500K	2400	90+
3494	32x28	1.06	36W	312	31	6500K	2600	90+
3494	40x28	1.06	48W	360	36	6500K	3000	90+
3494	48x28	1.06	48W	414	41	6500K	3450	90+
3494	56x28	1.06	60W	462	46	6500K	3850	90+

20






21



LuxSpace series

- Key Features**
 LED illumination
 Aluminum frame
 Bowl-tray mirror
 Custom frame color finish



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3519	31.5x31.5	3.15	60W	480	48	6500K	4000	90+




22



CyanAegis series

- Key Features
 LED illumination
 Aluminum frame
 Custom frame color finish
 Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3207	17.72x39.37	3.94	36W	270	27	6500K	2250	90+




23

UltraMin series

Key Features

- LED illumination
- Flared aluminum frame
- Custom frame color finish
- Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3544	20x28	2.40	24W	209	21	6500K	1738	90+
3544	24x32	2.40	36W	257	26	6500K	2145	90+
3544	32x28	2.40	36W	282	28	6500K	2348	90+
3544	40x28	2.40	48W	331	33	6500K	2754	90+
3544	48x28	2.40	48W	379	38	6500K	3161	90+
3544	56x28	2.40	48W	428	43	6500K	3567	90+




24



UltraMin series

- Key Features**
 LED illumination
 Flared aluminum frame
 Custom frame color finish
 Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3524	24x24	2.40	24W	175	17	6500K	1455	90+
3524	28x28	2.40	24W	213	21	6500K	1774	90+
3524	32x32	2.40	36W	251	25	6500K	2093	90+
3524	40x40	2.40	48W	328	33	6500K	2732	90+




25



Lumino Trace series

- Key Features**
 LED illumination
 Aluminum frame
 Custom frame color finish
 Touch switch



ALUMINUM FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3526	24x24	2.17	24W	268	19	6500K	1819	90+
3526	28x28	2.17	36W	313	22	6500K	2123	90+
3526	32x32	2.17	36W	357	26	6500K	2426	90+
3526	40x40	2.17	36W	447	32	6500K	3032	90+



Lumino Trace series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3542	20x28	2.17	36W	341	24	6500K	2316	90+
3542	24x32	2.17	36W	398	28	6500K	2703	90+
3542	32x28	2.17	36W	427	30	6500K	2896	90+
3542	40x28	2.17	48W	484	35	6500K	3282	90+
3542	48x28	2.17	48W	541	39	6500K	3668	90+
3542	56x28	2.17	48W	597	43	6500K	4054	90+

26





27




CUSTOMIZABLE PATTERNS



AuraHalo series

Key Features

- LED illumination
- Patterned ultra-clear glass
- Touch switch



LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3490	31.5x31.5	1.38	24W	198	20	6500K	1650	90+



Lumin Axis series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3540	19.69x59.06	2.80	36W	396	26	6500K	2145	90+


28






Duoray series

- Key Features**
 Dual mirror
 LED illumination
 Aluminum frame
 Custom frame color finish



29

INSTALLATION METHOD




ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3541	19.69x59.06	1.57	36W	270	27	6500K	2250	90+




Duoray series

- Key Features**
 Dual mirror
 LED illumination
 Aluminum frame
 Custom frame color finish



INSTALLATION METHOD



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3559	19.69x59.06	1.57	36W	306	31	6500K	2550	90+






30

Secret Realm I

series

Key Features

- Mirror cabinet
- LED illumination
- Storage space
- Aluminum frame
- Custom frame color finish



Integrated molding process

MIRROR CABINET

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
5035	31.5x27.56	5.91	60W	444	44	6500K	3700	90+



Integrated molding process

Secret Realm I

series

Key Features

- Mirror cabinet
- LED illumination
- Storage space
- Aluminum frame
- Custom frame color finish



MIRROR CABINET

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
5038	31.5x31.5	5.91	36W	270	27	6500K	2250	90+

31






Secret Realm I

series

Key Features

- Mirror cabinet
- LED illumination
- Storage space
- Aluminum frame
- Custom frame color finish



MIRROR CABINET

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
5037	19.69x27.56	5.91	36W	240	24	6500K	2000	90+



32




Secret Realm I

series


Key Features

- Mirror cabinet
- LED illumination
- Storage space
- Aluminum frame
- Custom frame color finish



MIRROR CABINET

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
5036	19.69x35.43	5.91	36W	228	23	6500K	1900	90+






NimbusNook series

Key Features

- Mirror cabinet
- LED illumination
- Storage space
- Aluminum frame
- Custom frame color finish



MIRROR CABINET


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
5034	48x28	5.12	36W	300	30	6500K	2500	90+



NimbusNook series

Key Features

- Mirror cabinet
- LED illumination
- Storage space
- Aluminum frame
- Custom frame color finish



MIRROR CABINET

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
5034	40x28	5.12	36W	252	25	6500K	2100	90+

34






35



Aura II series

Key Features

- Mirror cabinet
- LED illumination
- Acrylic diffuser
- Storage space
- Accessible shelf
- Aluminum frame
- Custom frame color finish



MIRROR CABINET

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
5032	32x32	5.12	36W	294	29	6500K	2450	90+
5032	40x32	5.12	36W	318	32	6500K	2650	90+




36

Fayre series

Key Features

- LED illumination
- Aluminum frame
- Acrylic diffuser
- Glossy shelf integrates a wireless charging pad & 1 or 2 toothbrush charging points
- Touch switch



ACRYLIC LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3411	32x28	4.53	24W	652	16	6500K	1324	90+
3411	40x28	4.53	24W	717	18	6500K	1456	90+
3411	48x28	4.53	24W	782	20	6500K	1588	90+



Polaris series

Key Features

- LED illumination
- Aluminum frame
- Round bowl-tray mirror
- Various colors to choose from: Brushed Brass, Rose Gold, etc.



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3410	21.7x21.7	3.10	60W	540	54	6500K	4500	90+
3410	25.6x25.6	3.10	60W	540	54	6500K	4500	90+
3410	29.5x29.5	3.10	60W	540	54	6500K	4500	90+
3410	33.5x33.5	3.10	60W	540	54	6500K	4500	90+
3410	37.4x37.4	3.10	60W	540	54	6500K	4500	90+

37






Lepus series

Key Features

- LED illumination
- Customizable front light



ACRYLIC ALUMINUM MIRROR CABINET

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
G5005	20x28	5.35	36W	283	28	6500K	2355	90+
G5005	24x28	5.35	36W	307	31	6500K	2557	90+
G5005	32x28	5.35	48W	355	36	6500K	2960	90+
G5005	36x28	5.35	48W	379	38	6500K	3162	90+
G5005	40x28	5.35	48W	404	40	6500K	3363	90+
G5005	48x28	5.35	60W	452	45	6500K	3767	90+




38



Carina II series

Key Features

- LED illumination
- Rear acrylic diffuser
- Touch switch



ACRYLIC LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2632	20x28	1.18	36W	252	25	6500K	2102	90+
2632	24x32	1.18	36W	301	30	6500K	2509	90+
2632	32x28	1.18	36W	325	33	6500K	2712	90+
2632	40x28	1.18	48W	374	37	6500K	3118	90+
2632	48x28	1.18	48W	423	42	6500K	3525	90+
2632	56x28	1.18	60W	472	47	6500K	3931	90+





Silk I series

Key Features
 LED illumination
 Customizable front light
 Touch switch



39


LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3362	20x48	3.07	60W	445	44	6500K	3704	90+
3362	24x32	3.07	48W	371	37	6500K	3095	90+
3362	24x36	3.07	48W	396	40	6500K	3298	90+
3362	24x48	3.07	48W	415	41	6500K	3458	90+



Silk II series

Key Features
 LED illumination
 Customizable front light
 Touch switch



LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3405	24x24	3.07	36W	244	24	6500K	2029	90+
3405	28x28	3.07	36W	282	28	6500K	2349	90+
3405	32x32	3.07	48W	332	33	6500K	2768	90+
3405	40x40	3.07	48W	421	42	6500K	3506	90+






Cassiopeia I

series

Key Features

- LED illumination
- Custom frame color finish
- Chamfered acrylic illumination
- Touch switch



40



ACRYLIC LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3045	23.6x23.6	1.50	24W	149	15	6500K	1238	90+
3045	31.5x31.5	1.46	36W	224	22	6500K	1866	90+
3045	39.4x39.4	1.46	36W	299	30	6500K	2494	90+



Pisces I series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch



ALUMINUM FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2892	20x28	1.65	36W	245	24	6500K	2038	90+
2892	24x32	1.65	36W	293	29	6500K	2445	90+
2892	32x28	1.65	36W	318	32	6500K	2648	90+
2892	40x28	1.65	48W	367	37	6500K	3054	90+
2892	48x28	1.65	48W	415	42	6500K	3461	90+





Serpens series

- Key Features**
- LED illumination
 - Curved aluminum frame
 - Custom frame color finish
 - Polycarbonate lighting ring
 - Touch switch



41




ACRYLIC LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3285	17.7X17.7	2.17	24W	151	15	6500K	1257	90+
3285	25.6x25.6	2.17	24W	151	15	6500K	1257	90+
3285	33.5x33.5	2.17	24W	151	15	6500K	1257	90+




Neon series


- Key Features**
- LED illumination
 - Aluminum profile
 - Chamfered & hollowed acrylic diffuser
 - Magnetic wireless charger
 - Ambient lighting
 - Touch switch



ACRYLIC LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3392	32x28	4.92	36W	283	28	6500K	2358	90+
3392	40x28	4.92	36W	296	30	6500K	2468	90+
3392	48x28	4.92	48W	345	34	6500K	2875	90+





Bonita II series

- Key Features**
 LED illumination
 Aluminum frame
 Curved frame with pointed edges
 Custom frame color finish
 Touch switch



42




ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3237	20x36	1.59	36W	251	25	6500K	2095	90+
3237	24x40	1.59	36W	290	29	6500K	2414	90+
3237	24x48	1.59	48W	338	34	6500K	2820	90+




Cacer I series

- Key Features**
 LED illumination
 Flared aluminum frame
 Seamless technology
 Custom frame color finish
 Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3418	20x28	1.77	24W	212	21	6500K	1770	90+
3418	24x32	1.77	36W	261	26	6500K	2177	90+
3418	32x28	1.77	36W	286	29	6500K	2380	90+
3418	40x28	1.77	48W	334	33	6500K	2786	90+
3418	48x28	1.77	48W	383	38	6500K	3193	90+






Gemini II series

Key Features

- LED illumination
- Aluminum frame
- Curved frame with arc-shaped ends
- Custom frame color finish
- Touch switch



ALUMINUM FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3245	24x24	1.77	36W	230	23	6500K	1915	90+
3245	28x28	1.77	36W	268	27	6500K	2234	90+
3245	32x32	1.77	36W	306	31	6500K	2553	90+
3245	40x40	1.77	48W	383	38	6500K	3192	90+



Virgo II series

Key Features

- LED illumination
- Aluminum profile
- Acrylic diffuser
- Touch switch



ACRYLIC LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2996	20x28	1.18	36W	291	29	6500K	2422	90+
2996	24x32	1.18	48W	339	34	6500K	2829	90+
2996	32x28	1.18	48W	364	36	6500K	3032	90+
2996	40x28	1.18	48W	413	41	6500K	3438	90+
2996	48x28	1.18	60W	461	46	6500K	3845	90+

43



Carina I series

- Key Features**
 LED illumination
 Rear acrylic diffuser
 Touch switch



44



ACRYLIC LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3130	20x28	1.18	24W	171	17	6500K	1422	90+
3130	24x32	1.18	24W	195	20	6500K	1626	90+
3130	32x28	1.18	24W	171	17	6500K	1422	90+
3130	40x28	1.18	24W	171	17	6500K	1422	90+
3130	48x28	1.18	24W	171	17	6500K	1422	90+



Apus series

- Key Features**
 LED illumination
 Aluminum profile
 Custom frame color finish
 Chamfered acrylic diffuser behind framed mirror
 Touch switch



ACRYLIC ALUMINUM LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2940	20x28	1.42	36W	269	27	6500K	2241	90+
2940	24x32	1.42	36W	318	32	6500K	2647	90+
2940	32x28	1.42	48W	342	34	6500K	2850	90+
2940	40x28	1.42	48W	391	39	6500K	3257	90+
2940	48x28	1.42	60W	440	44	6500K	3663	90+
2940	56x28	1.42	60W	488	49	6500K	4070	90+





Isa I series

- Key Features**
 LED illumination
 Integral acrylic frame
 Touch switch
 Decorative strap



45




ACRYLIC LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2884	23.6X23.6	1.18	24W	204	20	6500K	1700	90+
2884	27.6X27.6	1.18	24W	204	20	6500K	1700	90+
2884	31.5X31.5	1.18	24W	204	20	6500K	1700	90+



Isa II series

- Key Features**
 LED illumination
 Integral acrylic frame
 Touch switch



ACRYLIC LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3415	24x24	1.18	24W	210	21	6500K	1750	90+
3415	28x28	1.18	36W	252	25	6500K	2100	90+
3415	32x32	1.18	36W	293	29	6500K	2440	90+






Sextans II series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Acrylic diffuser integrated
- Practical shelf
- Touch switch



46



ACRYLIC LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3229	32x28	3.94	24W	715	18	6500K	1453	90+
3229	40x28	3.94	24W	780	20	6500K	1585	90+
3229	48x28	3.94	24W	845	21	6500K	1717	90+



Taurus I series


Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch



ALUMINUM FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3050	20x28	1.97	24W	652	16	6500K	1325	90+
3050	24x32	1.97	24W	782	20	6500K	1589	90+
3050	32x28	1.97	24W	847	21	6500K	1721	90+
3050	40x28	1.97	36W	977	24	6500K	1985	90+
3050	48x28	1.97	36W	1107	28	6500K	2250	90+
3050	56x28	1.97	36W	1238	31	6500K	2514	90+





Taurus III series

- Key Features**
 LED illumination
 Aluminum frame
 Custom frame color finish
 Touch switch




ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3051	20x36	1.97	24W	771	19	6500K	1566	90+
3051	24x40	1.97	36W	873	22	6500K	1773	90+
3051	24x48	1.97	36W	1003	25	6500K	2037	90+




Taurus IV series

- Key Features**
 LED illumination
 Aluminum frame
 Custom frame color finish
 Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2998	24x24	1.97	24W	613	15	6500K	1245	90+
2998	28x28	1.97	24W	715	18	6500K	1452	90+
2998	32x32	1.97	24W	817	20	6500K	1660	90+
2998	40x40	1.97	36W	1021	26	6500K	2075	90+




47




Taurus V series

- Key Features**
 LED illumination
 Aluminum frame
 Custom frame color finish
 Touch switch



48




ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3310	20x28	1.97	24W	680	17	6500K	1381	90+
3310	24x32	1.97	24W	800	20	6500K	1625	90+
3310	40x28	1.97	36W	976	24	6500K	1983	90+



Taurus IV series

- Key Features**
 LED illumination
 Aluminum frame
 Custom frame color finish
 Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3365	20x36	1.97	24W	824	21	6500K	1674	90+
3365	24x40	1.97	36W	944	24	6500K	1918	90+
3365	24x48	1.97	36W	1072	27	6500K	2178	90+






Taurus VIII


series

Key Features

- LED illumination
- Aluminum frame
- Seamless technology
- Curved corners
- Custom frame color finish
- Touch switch



49



ALUMINUM FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3386	24x24	1.97	24W	648	16	6500K	1316	90+
3386	28x28	1.97	24W	760	19	6500K	1544	90+
3386	32x32	1.97	24W	864	22	6500K	1755	90+
3386	40x40	1.97	36W	1080	27	6500K	2194	90+



Taurus IX series


Key Features

- LED illumination
- Aluminum frame
- Seamless technology
- Curved corners
- Custom frame color finish
- Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3417	32x28	1.97	24W	816	20	6500K	1658	90+
3417	40x28	1.97	36W	944	24	6500K	1918	90+
3417	48x28	1.97	36W	1072	27	6500K	2178	90+






Cacer III

series

Key Features

- LED illumination
- Flared aluminum frame
- Seamless technology
- Custom frame color finish
- Touch switch




50



ALUMINUM FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3420	24x24	1.77	24W	181	18	6500K	1507	90+
3420	28x28	1.77	36W	219	22	6500K	1826	90+
3420	32x32	1.77	36W	257	26	6500K	2145	90+
3420	40x40	1.77	48W	334	33	6500K	2783	90+



Octans series

Key Features

- LED illumination
- Aluminum body
- Double-sided mirrored door(s)
- Push-to-open doors
- Adjustable tempered glass shelves
- Integrated interior top lighting
- Integrated charging socket
- IR sensor switch



MIRROR CABINET

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
G5004	20x28	5.35	48W	341	34	6500K	2838	90+
G5004	24x28	5.35	48W	377	38	6500K	3142	90+
G5004	32x28	5.35	60W	450	45	6500K	3748	90+
G5004	36x28	5.35	60W	486	49	6500K	4051	90+
G5004	40x28	5.35	60W	523	52	6500K	4354	90+
G5004	48x28	5.35	36W*2	595	60	6500K	4961	90+







Lyra series

Key Features

- LED illumination
- Aluminum profile
- Sandblasting
- Touch switch



51



LED MIRROR



Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2399	20x28	1.18	36W	249	25	6500K	2078	90+
2399	24x32	1.18	36W	298	30	6500K	2485	90+
2399	32x28	1.18	36W	323	32	6500K	2688	90+
2399	40x28	1.18	48W	371	37	6500K	3094	90+
2399	48x28	1.18	48W	420	42	6500K	3501	90+
2399	56x28	1.18	60W	469	47	6500K	3907	90+



Vista series

Key Features

- LED illumination
- Aluminum profile
- Sandblasting
- Three-key touch switch
- Adjustable color temperature
- Dimmable
- Integrated 3x magnifier




LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2462	36x24	1.02	48W*2	786	78.6	6500K	1738.4	90+
2462	36x28	1.02	48W*2	834	83.4	6500K	2144.8	90+
2462	36x36	1.02	60W*2	930	93	6500K	2348	90+
2462	40x24	1.02	48W*2	834	83.4	6500K	2754.4	90+
2462	40x32	1.02	60W*2	930	93	6500K	3160.8	90+
2462	48x36	1.02	60W*2	1086	108.6	6500K	3567.2	90+
2462	60x28	1.02	60W*2	1134	113.4	6500K	3567.2	90+



Atlas series

- Key Features**
 LED illumination
 Aluminum profile
 Sandblasting
 Touch switch




52




LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2942	24x24	1.18	24W	199	20	6500K	1658	90+
2942	28x28	1.18	36W	237	24	6500K	1977	90+
2942	32x32	1.18	36W	276	28	6500K	2296	90+
2942	40x40	1.18	48W	352	35	6500K	2934	90+



Ursa II series

- Key Features**
 LED illumination
 Aluminum profile
 Sandblasting
 Touch switch



LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2874	20x36	1.18	36W	259	26	6500K	2157	90+
2874	24x40	1.18	36W	297	30	6500K	2477	90+
2874	24x48	1.18	48W	346	35	6500K	2883	90+






Orion series

Key Features

- LED illumination
- Ultra clear glass with unique etched pattern
- Mirror on glass, double-layered
- Touch switch



LED MIRROR



Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2896	31.5x31.5	1.29	24W	216	22	6500K	1800	90+
2896	35.43x35.43	1.29	36W	252	25	6500K	2100	90+



Aries II series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch



53

ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
1762	20x28	1.38	36W	233	23	6500K	1944	90+
1762	24x32	1.38	36W	282	28	6500K	2351	90+
1762	32x28	1.38	36W	306	31	6500K	2554	90+
1762	40x28	1.38	48W	355	36	6500K	2960	90+
1762	48x28	1.38	48W	404	40	6500K	3367	90+
1762	56x28	1.38	60W	453	45	6500K	3773	90+



Andromeda

series


Key Features

- LED illumination
- Chamfered acrylic diffuser
- Touch switch



ACRYLIC LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3288	23.6x31.5	0.79	48W	752	33	6500K	2938	90+
3288	39.4x27.6	0.79	48W	944	41	6500K	3688	90+
3288	47.2x27.6	0.79	60W	1072	47	6500K	4188	90+
3288	55.1x27.6	0.79	60W	1200	53	6500K	4688	90+




Pisces II

series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch
- Decorative strap



54

ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2805	24x24	1.18	24W	192	19	6500K	1601	90+
2805	28x28	1.18	36W	230	23	6500K	1920	90+
2805	32x32	1.18	36W	269	27	6500K	2239	90+






Vulpecula III

series

Key Features

- LED illumination
- Aluminum frame
- Curved corners
- Seamless technology
- Custom frame color finish
- Touch switch



55



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3408	47.24x37.8	3.35	24W	144	18	6500K	1620	90+




Triones

series


Key Features

- LED illumination
- Hidden LED strips
- IR sensor switch



LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2887	24x22	1.57	24W	210	21	6500K	1750	90+
2887	32x30	1.57	36W	288	29	6500K	2400	90+
2887	44x36	1.57	48W	390	39	6500K	3250	90+
2887	52x42	1.57	60W	462	46	6500K	3850	90+
2887	60x48	1.57	60W	534	53	6500K	4450	90+






Cetus series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch
- Available as wall-mounted or floor-standing



56



FULL-LENGTH MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3450	64x20	1.18	60W	453	45	6500K	3775	90+
3450	72x24	1.18	60W	522	52	6500K	4350	90+



Cepheus series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch
- Available as wall-mounted or floor-standing



FULL-LENGTH MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3109	64x20	1.97	48W	1336	33	6500K	2714	90+
3109	72x24	1.97	48W	1536	38	6500K	3120	90+






Corona I series


Key Features

- LED illumination
- Aluminum profile
- Ambient lighting
- Touch switch
- Reversible hanging



LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2027	20x28	1.18	36W	317	27	6500K	2645	90+
2027	24x32	1.18	36W	317	32	6500K	2645	90+
2027	32x28	1.18	48W	342	34	6500K	2848	90+
2027	40x28	1.18	48W	391	39	6500K	3254	90+
2027	48x28	1.18	60W	439	44	6500K	3661	90+
2027	56x28	1.18	60W	488	49	6500K	4067	90+




57



Elegance series

Key Features

- Mirror with aluminum frame
- Custom frame color finish



FRAMED MIRROR

Model	Size	Depth
2867	20x28	0.59
2867	24x32	0.59
2867	32x28	0.59
2867	40x28	0.59
2867	48x28	0.59
2867	56x28	0.59






Taurus II series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Touch switch



58



ALUMINUM FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
2997	20x28	1.97	24W	753	19	6500K	1529	90+
2997	24x32	1.97	36W	883	22	6500K	1793	90+
2997	32x28	1.97	36W	948	24	6500K	1925	90+
2997	40x28	1.97	36W	1078	27	6500K	2190	90+
2997	48x28	1.97	36W	1208	30	6500K	2454	90+
2997	56x28	1.97	48W	1338	33	6500K	2718	90+



Isa III series

Key Features

- LED illumination
- Integral acrylic frame
- IR sensor switch



ACRYLIC LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3203	20x28	1.18	24W	704	18	6500K	1431	90+
3203	24x32	1.18	24W	834	21	6500K	1695	90+
3203	32x28	1.18	36W	899	22	6500K	1827	90+
3203	40x28	1.18	36W	1029	26	6500K	2091	90+
3203	48x28	1.18	36W	1159	29	6500K	2355	90+






Columba III series

Key Features

- LED illumination
- Flared aluminum frame
- Seamless technology
- Custom frame color finish
- Touch switch




59



ALUMINUM FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3078	24x24	2.24	24W	172	17	6500K	1434	90+
3078	28x28	2.24	24W	210	21	6500K	1754	90+
3078	32x32	2.24	36W	249	25	6500K	2073	90+
3078	40x40	2.24	36W	325	33	6500K	2711	90+



Cacer II series

Key Features

- LED illumination
- Flared aluminum frame
- Seamless technology
- Custom frame color finish
- Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3419	20x36	1.77	36W	243	24	6500K	2025	90+
3419	24x40	1.77	36W	306	31	6500K	2548	90+
3419	24x48	1.77	48W	382	38	6500K	3186	90+






Taurus XI series

Key Features

- LED illumination
- Aluminum frame
- Curved corners
- Seamless technology
- Custom frame color finish
- Touch switch



60



ALUMINUM FRAME LED MIRROR


Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3406	44x28	1.97	36W	948	24	6500K	1925	90+



Sextans I series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Acrylic diffuser integrated
- Touch switch



ACRYLIC ALUMINUM LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3274	20x28	1.57	24W	773	19	6500K	1569	90+
3274	24x32	1.57	36W	903	23	6500K	1834	90+
3274	32x28	1.57	36W	968	24	6500K	1966	90+
3274	40x28	1.57	36W	1098	27	6500K	2230	90+
3274	48x28	1.57	36W	1228	31	6500K	2494	90+






Vulpecula I

series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Replaceable lamp
- Adjustable color temperature
- Dimmable
- Touch switch



61



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3060	32x24	3.35	24W	132	17	6500K	1485	90+
3060	40x24	3.35	24W	132	17	6500K	1485	90+




Vulpecula II

series


Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Replaceable lamp
- Adjustable color temperature
- Dimmable
- Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3290	60x20	3.35	48W	276	35	6500K	3105	90+
3290	70x32	3.35	48W	276	35	6500K	3105	90+





Starry

series

Key Features

- LED illumination
- Chamfered acrylic diffuser
- Dual-illumination with mirror glass on top and acrylic on bottom
- Touch switch



62



ACRYLIC LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3371	23.6x31.5	1.54	48W	758	33	6500K	2960	90+
3371	39.4x27.6	1.54	48W	950	42	6500K	3710	90+
3371	47.2x27.6	1.54	60W	1078	47	6500K	4210	90+
3371	55.1x27.6	1.54	60W	1206	53	6500K	4710	90+




Capricornus I

series

Key Features

- LED illumination
- Aluminum frame
- Custom frame color finish
- Chamfered aluminum section
- Touch switch



ALUMINUM FRAME LED MIRROR

Model	Size	Depth	LED driver	LED count	LED wattage	Kelvin	Max. LED Lumen	CRI
3281	20x28	2.09	36W	1212	30	6500K	2463	90+
3281	24x32	2.09	48W	1473	37	6500K	2991	90+
3281	32x28	2.09	48W	1603	40	6500K	3255	90+
3281	40x28	2.09	60W	1863	47	6500K	3784	90+
3281	48x28	2.09	60W	2123	53	6500K	4312	90+

